KCDS-No 103477-06 KALCOL 2098 1 / 6 **Revised Date**

Fatty Chemical (Malaysia) Sdn. Bhd.

Set Up Date

June 21, 2013 May 25, 2004

SAFETY DATA SHEET

[1.PRODUCT AND COMPANY IDENTIFICATION]

PRODUCT NAME : KALCOL 2098

SUPPLIER : Fatty Chemical (Malaysia) Sdn. Bhd.

Lorong Perusahaan Satu, Prai Industrial Complex, 13600 Prai, Penang, **ADDRESS**

MALAYSIA

DIVISION

TELEPHONE NUMBER : 60-4-399-8500 **FAX NUMBER** 60-4-399-8503

E-MAIL ADDRESS

EMERGENCY TELEPHONE NUMBER : 60-4-399-8500

RECOMMENDED USE

AND RESTRICTIONS ON USE

[2.HAZARDS IDENTIFICATION]

GHS CLASSIFICATION

PHYSICAL AND CHEMICAL HAZARDS: Not classified

HEALTH HAZARDS

ACUTE TOXICITY (Oral) : Not classified **ACUTE TOXICITY (Dermal)** : Not classified

ACUTE TOXICITY (Inhalation) : Not applicable(Vapours)

SKIN CORROSION / IRRITATION : Not classified SERIOUS EYE DAMAGE / EYE : Category 2B

IRRITATION

RESPIRATORY SENSITIZATION : Classification not possible

SKIN SENSITIZATION : Not classified **GERM CELL MUTAGENICITY** : Not classified CARCINOGENICITY : Not classified REPRODUCTIVE TOXICITY : Not classified

SPECIFIC TARGET ORGAN TOXICITY

- SINGLE EXPOSURE : Classification not possible

- REPEATED EXPOSURE : Not classified

ASPIRATION HAZARD : Classification not possible

ENVIRONMENTAL HAZARDS

PICTOGRAMS OR SYMBOLS

HAZARDOUS TO THE AQUATIC ENVIRONMENT - ACUTE HAZARD : Category 1 - LONG-TERM HAZARD : Category 2

- HAZARDOUS TO THE OZONE : Classification not possible

LAYER

GHS LABEL ELEMENTS

SIGNAL WORD Warning

HAZARD STATEMENTS Causes eye irritation

Very toxic to aquatic life

Toxic to aquatic life with long lasting effects

PRECAUTIONARY STATEMENTS

PREVENTION : Avoid release to the environment.

Wash thoroughly after handling.

RESPONSE : IF IN EYES: Rinse cautiously with water for several minutes. Remove

> contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Gently wash with plenty of water and soap. Call a POISON CENTER or doctor if you feel unwell.

Collect spillage.

STORAGE

DISPOSAL Passed to a licensed waste contractor.

SAFE HANDLING ADVICE : Refer to SDS.

[3.COMPOSITION / INFORMATION ON INGREDIENTS]

SUBSTANCE OR MIXTURE : Substance INGREDIENTS AND CONCENTRATION: Lauryl alcohol

RANGE

CAS RN : 112-53-8

[4.FIRST-AID MEASURES]

IN CASE OF INHALATION : Remove person to fresh air and keep comfortable for breathing.

IN CASE OF SKIN CONTACT : Gently wash with plenty of soap and water.

IN CASE OF EYE CONTACT : Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

: Call a POISON CENTER or doctor if you feel unwell. IN CASE OF INGESTION

[5.FIRE-FIGHTING MEASURES]

EXTINGUISHING MEDIA : Powder, alcohol-resistant foam, carbon dioxide, sand

NOT SUITABLE EXTINGUISHING

MEDIA

: No information available

SPECIFIC HAZARDS No information available

SPECIFIC METHODS : Keep away from sources of ignition and use appropriate extinguishing

media. Fight fire from upwind position if possible.

Do not flow the materials causing adverse effects into the environment

with effluent fire extinguishing agents.

PROTECTION OF FIRE FIGHTERS Use goggles in combination with dust mask, and other protections as

appropriate to situation.

[6.ACCIDENTAL RELEASE MEASURES]

PERSONAL PRECAUTIONS. PROTECTIVE EQUIPMENT AND **EMERGENCY PROCEDURE**

: Use goggles and protective gloves. Large spills: Remove person to safety.

Ensure adequate ventilation.

ENVIRONMENTAL PRECAUTIONS : Avoid release to the environment.

METHODS FOR CLEANING UP : Cool down to solid in case of melt(be careful of heat), and then sweep or

vacuum spilled materials to drums or containers.

PREVENTION OF SECONDARY

HAZARDS

: Keep away from sources of ignition and prepare extinguishing media.

[7.HANDLING AND STORAGE]

HANDLING

TECHNICAL MEASURES : Facilities storing or utilizing this material should be equipped with an

eyewash facility and a safety shower.

PRECAUTIONS : Keep away from source of ignition.

SAFE HANDLING ADVICE : Use an adequate ventilation.

Wash thoroughly after handling.

Use personal protective equipment as required.

KCDS-No 103477-06 KALCOL 2098 3 / 6 Revised Date June 21, 2013

Fatty Chemical (Malaysia) Sdn. Bhd.

SUITABLE STORAGE CONDITIONS : Store container tightly closed in well-ventilated place.

Keep away from source of ignition.

SAFE PACKAGING MATERIALS : No information available

18.EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING MEASURES : Facilities storing or utilizing this material should be equipped with an

eyewash facility and a safety shower.

Use an adequate ventilation.

LIMIT VALUES

STORAGE

ACGIH (TLV) : Not established OSHA (PEL) : Not established

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION : Use as appropriate to situation.

HAND PROTECTION : Rubber gloves **EYE PROTECTION** : Safety glasses SKIN AND BODY PROTECTION : Full-body suit

HYGIENE MEASURES : No information available

[9.PHYSICAL AND CHEMICAL PROPERTIES]

APPEARANCE

PHYSICAL STATE : Solid(liquid in summer(over 20C))

COLOUR : White

ODOUR Slightly characteristic odour

: Not applicable pΗ SPECIFIC TEMPERATURES / TEMPERATURE RANGES AT WHICH CHANGES IN PHYSICAL STATE OCCUR

BOILING POINT 264 °C 507.2 °F)

26.5 °C (**MELTING POINT** 23.5 74.3 -79.7 °F) **FLASH POINT** 136 ٥C 276.8 °F) (CLEVELAND open cup method)

FLAMMABILITY OR EXPLOSIVE PROPERTIES

: UPPER LIMIT: 2.6 % LOWER LIMIT: 0.3 % FLAMMABILITY OR EXPLOSIVE

LIMITS

VAPOUR PRESSURE : No information available VAPOUR DENSITY : No information available

DENSITY (SPECIFIC GRAVITY) 0.8263 g/mL (30 °C) (86 °F)

SOLUBILITY

WATER SOLUBILITY : Insoluble

SOLVENT SOLUBILITY Soluble in general organic solvents

PARTITION COEFFICIENT: n-: No information available

OCTANOL / WATER (log Pow)

AUTO-IGNITION TEMPERATURE : No information available **DECOMPOSITION TEMPERATURE** : No information available **ODOUR THRESHOLD** : No information available **EVAPORATION RATE** : No information available FLAMMABILITY (SOLID, GAS) No information available

VISCOSITY 10 mPa.s (37 °C) (98.6 °F)

OTHER DATA No information available

[10.STABILITY AND REACTIVITY]

CHEMICAL STABILITY : Stable in general. KCDS-No 103477-06 KALCOL 2098 4 / 6 June 21, 2013 Revised Date

Fatty Chemical (Malaysia) Sdn. Bhd.

POSSIBILITY OF HAZARDOUS

REACTIONS

: No information available

CONDITIONS TO AVOID : No information available INCOMPATIBLE MATERIALS : No information available

HAZARDOUS DECOMPOSITION

: No information available

PRODUCTS

OTHERS : No information available

[11.TOXICOLOGICAL INFORMATION]

ACUTE TOXICITY

Oral

INFORMATION ON PRODUCT : Rat, LD50 : > 2000 mg/kg (male, female)

Dermal

INFORMATION ON PRODUCT : No information available

Inhalation

INFORMATION ON PRODUCT : No information available

SKIN CORROSION / IRRITATION

INFORMATION ON PRODUCT : No information available

SERIOUS EYE DAMAGE / IRRITATION

INFORMATION ON PRODUCT : No information available

RESPIRATORY OR SKIN SENSITIZATION

RESPIRATORY

INFORMATION ON PRODUCT : No information available

SKIN

INFORMATION ON PRODUCT : Guinea pig, GPMT (OECD406) : Negative

MUTAGENICITY (GERM CELL MUTAGENICITY)

INFORMATION ON PRODUCT : Ames test

(TA98,TA100,TA1535,TA1537,TA1538) OECD471: Negative

CARCINOGENICITY

INFORMATION ON PRODUCT : No information available

IARC : Not listed NTP : Not listed EU : Not listed **OSHA** : Not listed

REPRODUCTIVE TOXICITY

INFORMATION ON PRODUCT : No information available

SPECIFIC TARGET ORGAN TOXICITY

- SINGLE EXPOSURE

INFORMATION ON PRODUCT : No information available

- REPEATED EXPOSURE

INFORMATION ON PRODUCT : No information available

ASPIRATION HAZARD

INFORMATION ON PRODUCT : No information available OTHER INFORMATION : No information available

[12.ECOLOGICAL INFORMATION]

ECOTOXICITY : No information available **ACUTE HAZARD** No information available LONG-TERM HAZARD : No information available

PERSISTENCE / DEGRADABILITY : CO2 evolution test (OECD301B) : 50 % (28 days) KCDS-No 103477-06 KALCOL 2098 5 / 6 June 21, 2013 Revised Date

Fatty Chemical (Malaysia) Sdn. Bhd.

MOBILITY IN SOIL : No information available BIOACCUMULATIVE POTENTIAL : No information available OTHER ADVERSE EFFECTS : No information available

[13.DISPOSAL CONSIDERATIONS]

Review "HANDLING AND STORAGE (Section 7)".

Passed to a licensed waste contractor.

Dispose of waste in accordance with local state and federal regulations.

[14.TRANSPORT INFORMATION]

Follow all regulations in your country or region

INTERNATIONAL REGULATIONS

UN CLASS / UN NUMBER : Class 9 / UN3077

IATA : UN Number UN3077

> **Proper Shipping Name** Environmentally Hazardous Substance, Solid,

n.o.s.(containing Dodecanol)

Class **Packing Group** Ш

IMDG : UN Number UN3077

> **Proper Shipping Name** Environmentally Hazardous Substance, Solid,

> > n.o.s.(containing Dodecanol)

Class 9 Ш **Packing Group**

Additional Information Marine pollutant

SPECIAL PRECAUTIONS FOR USER : Review "ACCIDENTAL RELEASE MEASURES (Section 6)".

Review "HANDLING AND STORAGE (Section 7)". Ensure containers without breakage or leakage.

Ensure containers tightly fixed.

Follow all regulations in your country or region.

Keep away from source of ignition.

Emergency Response Guide(ERG) Numbers: 171

[15.REGULATORY INFORMATION]

Follow all regulations in your country or region.

INVENTORIES : ENCS(Japan) 2-217

> TSCA(USA) Yes

EINECS(EU) 203-982-0

Yes AICS(Australia) Yes DSL(Canada) KE-12888 ECL(Korea)

PICCS(Philippines) Yes IECSC(China) Yes

KAO Corporation is not able to check up the regulatory information in regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

[16.OTHER INFORMATION]

REFERENCE : -Safety data sheet for chemical products - Part 1: Content and order of

sections(ISO 11014-1)

-International Chemical Safety Cards(ICSC) (Compiler's Guide)(1994)

KCDS-No 103477-06

KALCOL 2098 Fatty Chemical (Malaysia) Sdn. Bhd.

Revised Date

6 / 6 June 21, 2013

To the best of the manufacturer's knowledge, the information contained herein is accurate. However, neither the manufacturer, nor any of its affiliates, make any representations or warranties (expressed or implied), nor assumes any liability (including liability for any direct, incidental, consequential, or other damages) with respect to the accuracy or completeness of the information contained herein. Such information may be (without limitation) invalid if the specified material is used in combination with another ,in a particular process, or under unusual conditions. Determination of suitability of any material for any given purpose is the sole responsibility of the user who assumes all risk and responsibility therefore. All materials may present unknown hazards and should be used with appropriate caution. The manufacturer cannot and does not guarantee that the hazards described herein are the only ones that exist.