Kao Specialties Americas LLC

243 Woodbine Street • PO Box 2316 • High Point, NC 27261 USA Phone 336-884-2214 • Fax 336-884-8786



SAFETY DATA SHEET

Conforms to the requirements of the United States Hazard Communication regulation 29 CFR 1910.1200

SECTION 1: CHEMICAL PRODUCT and COMPANY IDENTIFICATION

PRODUCT NAME AMBER CORE PRODUCT CASRN 139504-68-0

PRODUCT DESCRIPTION Aliphatic ether-alcohol

SDS DOCUMENT No. K00799

RECOMMENDED USES This product is intended for use in fragrance applications.

RESPONSIBLE PARTY

Kao Specialties Americas LLC 243 Woodbine Street P. O. Box 2316

High Point, NC 27261 Telephone: 1-800-727-2214 Refer to SECTION 16 for information regarding the

MANUFACTURER(s) of this product

FOR ALL TRANSPORTATION ACCIDENTS, call Chemtrec at 800-424-9300 or 703-527-3887 for international collect calls.

SECTION 2: HAZARD(S) IDENTIFICATION

PRODUCT CLASSIFICATION per 29 CFR 1910.1200

HAZARD .

CLASSIFICATION Serious Eye Damage/Eye Irritation Category 2B

SIGNAL WORD Warning

HAZARD Causes eye irritation.

RECOMMENDED SAFETY PRECAUTIONS

INJURY PREVENTION Wash thoroughly after handling.

EMERGENCY RESPONSE

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

PRODUCT STORAGE

The storage area must be protected by properly designed containment to prevent the

release of product to groundwater or sewers. Keep container tightly closed when not in use.

Store in a well ventilated area.

PRODUCT DISPOSAL

DISPOSE of product and containers in accordance with all applicable local, state,

federal, and international regulations.

HAZARDS NOT OTHERWISE CLASSIFIED

PYROPHORIC GASES Not applicable

SIMPLE **ASPHYXIANTS**

Not applicable

COMBUSTIBLE DUST Not applicable

Dust Classification	Minimum Ignition Energy (mJ)	Pmax (bar-g)	Rmax (bar/s)	Kst (bar-m/s)	Explosion Severity
---------------------	------------------------------------	-----------------	-----------------	------------------	-----------------------

Definitions for dust classifications are found in OSHA Instruction CPL 03-00-008 Combustible Dust National Emphasis Program (reissued) March 11, 2008, Appendix E, Section 5

Other Known Hazards

None

FOR INFORMATION REGARDING ENVIRONMENTAL GHS CLASSIFICATION, REFER TO SECTION 12 BELOW

SECTION 3: COMPOSITION/INFORMATION on INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration (%)
1-(2-t-Butyl cyclohexyloxy)-2-butanol	1-(2-tert-butylcyclohexyloxy)-2- butanol	139504-68-0	~ 100
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl-	внт	128-37-0	<0.1

If any items in the table above are described as CONFIDENTIAL, Kao Specialties Americas LLC considers this information to constitute a Trade Secret.

SECTION 4: FIRST-AID MEASURES

EYES

Immediately flush eyes with plenty of water for at least 15 minutes. If necessary, seek medical attention.

SKIN For skin contact, wash immediately with soap and water. If necessary, seek medical

attention.

INGESTION If the material is swallowed, get immediate medical attention or advice.

INHALATION If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing

is difficult, give oxygen.

SYMPTOMS of EXPOSURE

None known.

NOTES to PHYSICIAN Provide general supportive measures and treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE PROPERTIES Refer to SECTION 9: Physical and Chemical Properties

HAZARDOUS
PRODUCTS of
COMBUSTION

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

PROPERTIES THAT
COULD INCREASE
FIRE or EXPLOSION
HAZARD

No known hazards.

EXTINGUISHING

MEDIA

Powder, alcohol-resistant foam, CO2 & sand

FIRE-FIGHTING INSTRUCTIONS

Firefighters should wear full protective clothing including self contained breathing

apparatus.

NFPA ratings are found in SECTION 16

SECTION 6: ACCIDENTAL RELEASE MEASURES

FOR ALL TRANSPORTATION ACCIDENTS, call Chemtrec at 800-424-9300 or 703-527-3887 for international collect calls.

RESPONSE TO SMALL SPILLS OF PRODUCT

SPILL CONTAINMENT Stop the flow of material, if this is without risk. Contain the discharged material.

SPILL CLEANUP Absorb spill with inert material. Shovel material into appropriate container for disposal.

REQUIRED EQUIPMENT

Shovel the material into waste container.

ADDITIONAL INFORMATION

No other spill procedures necessary.

RESPONSE TO LARGE SPILLS OF PRODUCT

SPILL CONTAINMENT

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Prevent liquid from entering sewers. Keep out of drains and water courses.

SPILL CLEANUP PROCEDURES

Absorb spill with inert material. Shovel material into appropriate container for disposal. Thoroughly wash the area with water after a spill or leak clean-up. Dispose of spent absorbent in an approved industrial waste landfill.

REQUIRED EQUIPMENT

Wear appropriate protective equipment and clothing during clean-up.

ADDITIONAL INFORMATION

Surfaces may become slippery after spillage. Have emergency equipment readily available. Remove soiled clothing and launder before reuse.

SECTION 7: HANDLING AND STORAGE

HANDLING REQUIREMENTS As with all chemicals, good industrial hygiene practices should be followed when handling this material. Do not get this material in your eyes, on your skin, or on your clothing. Wash thoroughly after handling. Empty drums should be completely drained, properly bunged and promptly returned to a drum reconditioner, or promptly disposed of.

STORAGE

Do not store this material in open or unlabeled containers.

To protect purity, store under dry nitrogen gas.

REQUIREMENTS Storage area should be protected by appropriately designed containment to prevent release to groundwater or sewers.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS

Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE

PROTECTION

Wear chemical goggles.

HAND PROTECTION

Use impervious gloves.

SKIN PROTECTION

Normal work clothing (long sleeved shirts and long pants) is recommended.

RESPIRATORY PROTECTION

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever there may be potential for airborne

exposure.

OTHER

Eyewash fountains and emergency showers are required.

EXPOSURE LIMITS

CHEMICAL CASRN PERCENT LIMITS AGENCY

OSHA: No exposure limits established for this product ACGIH: No exposure limits established for this product

SECTION 9: PHYSICAL and CHEMICAL PROPERTIES

APPEARANCE @ 20°C	Clear, colorless liquid	ODOR	Characteristic odor
ODOR THRESHOLD	No data available	рН	No information available
VAPOR DENSITY	No data available	VAPOR PRESSURE	No data available
EVAPORATION RATE	No data available	RELATIVE DENSITY	0.94g/mL @ 20°C
MELTING POINT (°C)	No data available	WATER SOLUBILITY	Poor in Water.
INITIAL BOILING POINT (°C)	No data available	BOILING RANGE (°C)	No data available
PARTITION COEFFICIENT (N- OCTANOL/WATER)	No data available	VISCOSITY	No data available
DECOMPOSITION TEMPERATURE	No data available	FLAMMABILITY CLASSIFICATION	CLASS IIIB
FLASH POINT (°C)	144.0°C Cleveland Open Cup	AUTO-IGNITION TEMPERATURE	271.0°C
UPPER EXPLOSIVE LIMIT	No data available	LOWER EXPLOSIVE LIMIT	No data available

SECTION 10: STABILITY and REACTIVITY

CHEMICAL STABILITY | Stable under normal conditions.

CONDITIONS to

AVOID

None known

INCOMPATIBLE

MATERIALS (Reactivity)

None known.

INCOMPATIBLE

MATERIALS (Storage & Transport)

No information available.

HAZARDOUS

DECOMPOSITION

None known.

PRODUCTS

HAZARDOUS

POLYMERIZATION

Will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE EFFECTS

EYE EFFECTS This product is irritating to the eyes.

SKIN EFFECTS Not expected to be a primary skin irritant.

ACUTE ORAL

EFFECTS (INGESTION)

Not a likely route of entry.

ACUTE INHALATION

EFFECTS

No significant health risk anticipated

TARGET ORGANS No known effects.

CHRONIC EFFECTS

Ames Test (TA98, TA100, TA1535, TA1537, TA1538, WP2uvrA): Negative

MUTAGENCITY Chromosomal aberration test (CHL cells): Negative

Micronucleus test: Negative

TERATOLOGY No data available for this product.

REPRODUCTIVE and

DEVELOPMENTAL

TOXICITY

No information available.

CARCINOGENICITY

AGENCY CHEMICAL NAME DATA LIST

None of the components of this product are listed on the OSHA Possible or Select Carcinogens Lists. None of the components of this product are listed on the ACGIH Carcinogens List.

No limits established for this product by the International Agency for Research on Cancer (IARC).

None of the components of this product are listed on the NTP Known or Suspected Carcinogens List.

LETHAL DOSE (LD50 & LC50) DATA

LD50 ORAL LD50 Oral Rat > 2000 mg/kg

LD50 DERMAL LD50 Dermal Rat > 2000 mg/kg

LC50 INHALATION No information available

MEDICAL CONDITIONS AGGRAVATED by **EXPOSURE**

No information available.

Routes of entry for solids and liquids include eye and skin contact, ingestion and **ROUTES of ENTRY**

inhalation.

Skin Corrosion/Irritation: Rabbit, undiluted, 4 hours semi-occluded application test

(EEC Method): Slight irritant

Eye Damage/Irritation: Rabbit, undiluted, EEC Method: Category 2B

OTHER **TOXICOLOGICAL** INFORMATION

Reproductive Toxicity: Rat, gavage, one generation reproductive toxicity (OECD 415):

NOEL (maternal toxicity) - 500 mg/kg/day

Specific Target Organ Toxicity (repeated): Rat,28 days repeated dose oral toxicity

test: NOEL 20 mg/kg/day

Specific Target Organ Toxicity (repeated): Rat,28 days repeated dose oral toxicity

test: No toxicological effect level = 140 mg/kg/day

SECTION 12: ECOLOGICAL INFORMATION

UN GHS AQUATIC TOXICITY CLASSIFICATION INFORMATION

AQUATIC TOXICITY Acute 2 **CLASSIFICATION** Chronic 2

Not applicable **SIGNAL WORD**

HAZARD PICTOGRAM



HAZARD STATEMENT

Toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

PREVENTION

Avoid release to the environment.

RESPONSE

Collect spillage.

DISPOSAL

Dispose of contents and container in accordance with local, national, and

international regulations for hazardous wastes.

ADDITIONAL ENVIRONMENTAL INFORMATION

AQUATIC TOXICTY

(fish)

96 hr LC50 Rainbow Trout: 4.1 mg/L

AQUATIC TOXICITY

(crustacean)

48 hr EC50 daphnia magna: 5.9 mg/L

AQUATIC TOXICTY

(other data)

Algal inhibition test, 72 hour, ErC50: 5.6 mg/L

ECOTOXICITY INFORMATION

None determined

ENVIRONMENTAL

FATE

Based on the physical properties of this product, significant environmental persistence and bioaccumulation would not be expected.

BIOLOGICAL OXYGEN DEMAND

(BOD5), g/g

No data available

CHEMICAL OXYGEN

DEMAND (COD), g/g

No data available

PERSISTENCE & **DEGRADABILITY** Modified MITI test I (OECD 301C):

% degradation by BOD: 3 % (28 days)

% degradation by gas chromatography: 3 % (28 days)

Bioaccumulation test, OECD305C:

BIOACCUMLATION

Bioaccumulation factors

Level 1 Peak A 48 - 88, Peak B 18 - 40

Level 2 Peak A 74 - 173, Peak B over 20 - 128

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DESCRIPTION Wastes must be tested using methods described in 40 CFR Part 261 to determine if it meets applicable definitions of hazardous wastes.

GENERAL DISPOSAL CONSIDERATIONS Clean up and dispose of waste in accordance with all federal, state, and local environmental regulations.

DISPOSAL of EMPTY Dispose of waste material according to Local, State, Federal, and Provincial

CONTAINERS Environmental Regulations.

RCRA COMPONENT CASRN DATA

No limits established for this product.

SECTION 14: TRANSPORT INFORMATION

	US DOT	IATA	IMDG
UN NUMBER	UN3082	UN3082	UN3082
UN PROPER SHIPPING NAME	Environmentally hazardous substances, liquid, n.o.s.	Environmentally hazardous substances, liquid, n.o.s.	Environmentally hazardous substances, liquid, n.o.s.
TECHNICAL NAME	containing containing 1- (2-tert- Butylcyclohexyloxy)-2- butanol	containing containing 1-(2- tert-Butylcyclohexyloxy)-2- butanol	containing containing 1- (2-tert- Butylcyclohexyloxy)-2- butanol
TRANSPORT HAZARD CLASS(ES)	9	9	9
PACKING GROUP	III	III	III

REPORTABLE No reportable quantity for this product

EMERGENCY RESPONSE GUIDEBOOK (ERG)

No reportable quantity for this product

MARINE POLLUTANT | MARINE POLLUTANT

SECTION 15: REGULATORY INFORMATION

Product: AMBER CORE SDS ID: K00799 Effective Date: 06-27-2016 Created Date: 10-15-1999

REFERENCE

TOXIC SUBSTANCES CONTROL ACT (TSCA)

This product is listed on the U.S. EPA TSCA Inventory.

EXPORT NOTIFICATIONS

This product is not subject to TSCA 12B Export Notification requirements.

SIGNIFICANT NEW USE RULE (SNUR)

This material is not subject to a Significant New Use Rule under the US Toxic

Substances Control Act.

INTERNATIONAL CHEMICAL INVENTORIES

All of the components of this product are listed on the following inventories:

DSL	Canada	Yes	
NDSL	Canada	No	
ENCS	Japan	Yes	Registry No. 3-4257
EINECS	Europe	No	
ELINCS	Europe	Yes	Registry No. 412-300-2
IECSC	China	Yes	
PICCS	Philippines	Yes	
ECL	Korea	Yes	Registry No. 97-3-547
AICS	Australia	Yes	
TCSI	Taiwan	Yes	

EMERGENCY PLANNING and COMMUNITY RIGHT TO KNOW ACT (EPCRA) 40 CFR PART 355, APPENDIX A

CASRN	PERCENT	TPQ POUNDS and RQ
CASRN	PERCENT	REPORTING LIMIT
CASRN	PERCENT	REPORTING LIMIT
	CASRN	CASRN PERCENT

No limits established for this product.

EPCRA SECTION
311/312
CLASSIFICATION

ACUTE	Yes
CHRONIC	No
FIRE	No
PRESSURE	No
REACTIVE	No

OTHER FEDERAL REGULATIONS

The following components are ide COMPONEN		ir Act H		MI chemicals: CASRN
No regulated components				
The following components are ide COMPONEN		ir Act (V	İ	nemicals): CASRN
No regulated components				
The following components are ide COMPONEN		ir Act as		Pollutants (HAP) CASRN
No regulated components				
The following components are ide (HAP)		ir Act H	1	
COMPONEN	IT NAME		(CASRN
No regulated components				
The following components are ide	ntified under the Clean W	/ater Ac	t:	
COMPONENT NAME	CASRN			LIST NAME
No limits established for this product. STATE RIGHT-TO-KNOW INFORMATION:				
COMPONENT NAME	CASRN		STATE	List Name
If the STATE RIGHT-TO-KNOW INFORMATION table above is empty than none of the components of this product are included on the state right-to-know regulatory lists for Florida, Massachusetts, Michigan, Pennsylvania, or New Jersey. CALIFORNIA SAFE WATER and TOXIC ENFORCEMENT ACT of 1986 (Proposition 65)				
COMPONENT NAME	CASRN	CON	ICENTRATION [†]	LIST DATA
This product contains no compone				
, , , , , , , , , , , , , , , , , , ,			•	% UNLESS UNITS ARE SPECIFIED

SECTION 16: OTHER INFORMATION

To the best of the manufacturer's knowledge, the information contained herein is accurate. However, neither the manufacturer, nor any of its affiliates, make any representations or warranties (expressed or implied), nor assumes any liability (including liability for any direct, incidental, consequential, or other damages) with respect to the accuracy or completeness of the information contained herein. Such information may be (without limitation) invalid if the specified material is used in combination with another, in a particular process, or under unusual conditions. Determination of suitability of any material for any given purpose is the sole responsibility of the user who assumes all risk and responsibility therefore. All materials may present unknown hazards and should be used with appropriate caution. The manufacturer cannot and does not guarantee that the hazards described herein are the only ones that exist.

SDS GENERATED BY PSIMCOX

SDS VERSION DATE 6/27/2016 2:48:28 PM

Patrick B. Simcox

SDS APPROVED BY Manager – Health, Safety, & Environmental

e-mail: psimcox@ksallc.com

MANUFACTURER(S) Kao Corporation

1-3, Bunka 2-chome, Sumida-ku

Tokyo, Japan 131-8501 Phone: 011-81-3-5630-7700

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD RATINGS

HEALTH	2
FLAMMABILITY	1
REACTIVITY	0

Hazardous Material Identification System (HMIS) Hazard Ratings

HEALTH	2
FLAMMABILITY	1
REACTIVITY	0
PERSONAL	D
PROTECTION	

The following components of this product are listed on the Canadian WHMIS Ingredient Disclosure List (IDL):

COMPONENT	CACDN	PERCENT	MINIMUM
COMPONENT	CASRN	PERCENT	CONCENTRATION

No regulatory limits established for this product.

END OF DOCUMENT