#### **Kao Specialties Americas LLC**

243 Woodbine Street • PO Box 2316 • High Point, NC 27261 USA Phone 336-884-2214 • Fax 336-884-8786



# SAFETY DATA SHEET

Conforms to the requirements of the:

United States Hazard Communication Regulation 29 CFR 1910.1200

## **SECTION 1: CHEMICAL PRODUCT and COMPANY IDENTIFICATION**

PRODUCT NAME FARMIN 20D PRODUCT CASRN 124-22-1

PRODUCT DESCRIPTION ALIPHATIC AMINE

**SDS DOCUMENT No.** K02252

**RECOMMENDED USES**Product is intended for use as a raw material in chemical

manufacturing

**RESPONSIBLE PARTY** 

Kao Specialties Americas LLC 243 Woodbine Street P. O. Box 2316 High Point, NC 27261

Telephone: 1-800-727-2214

Refer to SECTION 16 for information regarding the MANUFACTURER(s) of this product

FOR ALL TRANSPORTATION ACCIDENTS, call Chemtrec at 1-800-424-9300 or +1-703-741-5970 for international collect calls (in Mexico, call 800-681-9531)

## **SECTION 2: HAZARD(S) IDENTIFICATION**

#### PRODUCT CLASSIFICATION per 29 CFR 1910.1200

Substance or mixture corrosive to metals Category 1

HAZARD CLASSIFICATION | Skin Corrosion/Irritation Category 1B

Serious Eye Damage/Eye Irritation Category 1

Acute Toxicity - Oral Category 4

SIGNAL WORD Danger

May be corrosive to metals

HAZARD STATEMENTS Harmful if swallowed

Causes severe skin burns and eye damage

HAZARD PICTOGRAMS





#### **RECOMMENDED SAFETY PRECAUTIONS**

Keep only in original container.

Do not breathe dust/fume/gas/mist/vapours/spray.

INJURY PREVENTION Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower.

EMERGENCY RESPONSE IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

Immediately call a Poison Control Center or doctor if symptoms develop or otherwise unwell.

Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

PRODUCT STORAGE Store locked up.

Store in corrosive resistant container with a resistant inner liner.

PRODUCT DISPOSAL

Dispose of contents/container in accordance with local/regional/national/international regulation for

hazardous wastes.

#### HAZARDS NOT OTHERWISE CLASSIFIED

PYROPHORIC GASES | Not applicable
SIMPLE ASPHYXIANTS | Not applicable

COMBUSTIBLE DUST Not applicable

Dust Classification	Minimum Ignition Energy (mJ)	Pmax (bar-g)	Rmax (bar/s)	Kst (bar-m/s)	Explosion Severity
Not Applicable					

Definitions for dust classifications are found in OSHA Instruction CPL 03-00-008 Combustible Dust National Emphasis Program (reissued) March 11, 2008, Appendix E, Section 5

Other Known Hazards None

FOR INFORMATION REGARDING ENVIRONMENTAL GHS CLASSIFICATION, REFER TO SECTION 12 BELOW

## **SECTION 3: COMPOSITION/INFORMATION on INGREDIENTS**

Chemical Name	Common Name	CAS Number	Concentration (%)
1-Dodecanamine	lauryl amine	124-22-1	~ 100

If any items in the table above are described as CONFIDENTIAL, Kao Specialties Americas LLC considers this information to constitute a Trade Secret.

#### **SECTION 4: FIRST-AID MEASURES**

**EYES** 

Flush immediately with water for at least 15 minutes. Do not rub eyes. Remove contact lens immediately, if present and easy to remove. SEEK IMMEDIATE MEDICAL ATTENTION ONCE THE EXPOSED PERSON IS SAFE TO TRANSPORT.

SKIN

Immediately take off all contaminated clothing. For small exposure, wash affected area with 2% acetic acid solution until the slimy feeling disappears. Follow acid wash with flushing the exposed area with copious amount of water. For large exposure, use safety shower to flush the affected area with heavy flow of water. SEEK MEDICAL ATTENTION IMMEDIATELY. If medical attention is not immediately

available, contact POISON CONTROL CENTER (1-800-222-1222).

**INGESTION** If the material is swallowed, get immediate medical attention or advice.

If inhaled, immediately remove the affected person to fresh air. If not breathing, give artificial respiration, INHALATION

preferably mouth-to-mouth. If breathing is difficult, give oxygen. If symptoms persist, get medical

attention.

Skin contact: exposure to this product will result in rash and irritation. Deep-tissue chemical burn will

develop slowly over a period of hours if the material is not promptly removed from the affected area.

SYMPTOMS of EXPOSURE Eyes: symptoms include itching, burning, redness and tearing.

Respiratory: symptoms may include burining sensation in the upper respiratory system, shortness of

breath, and choking/coughing.

**NOTES to PHYSICIAN** Provide general supportive measures and treat symptomatically.

#### SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE PROPERTIES **Refer to SECTION 9: Physical and Chemical Properties** 

HAZARDOUS PRODUCTS of COMBUSTION

Irritating and toxic gases or fumes may be released during a fire. Upon decomposition, this product may yield poisonous gases including oxides of nitrogen, hydrogen gas and ammonia.

PROPERTIES THAT COULD INCREASE FIRE or **EXPLOSION HAZARD** 

Vapors can travel to a source of ignition and flash back.

**EXTINGUISHING MEDIA** Powder, alcohol-resistant foam, CO2 & sand

FIRE-FIGHTING INSTRUCTIONS

Firefighters should wear full protective clothing including self contained breathing apparatus.

NFPA ratings are found in SECTION 16

## SECTION 6: ACCIDENTAL RELEASE MEASURES

FOR ALL TRANSPORTATION ACCIDENTS, call Chemtrec at 1-800-424-9300 or +1-703-741-5970 for international collect calls (in Mexico, call 800-681-9531)

## **RESPONSE TO SMALL SPILLS OF PRODUCT**

Eliminate all sources of ignition or flammables that may come into contact with a spill of this material. SPILL CONTAINMENT

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible.

SPILL CLEANUP Wear appropriate protective equipment and clothing during clean-up. Ventilate the contaminated area. **PROCEDURES** Absorb spill with inert material. Shovel material into appropriate container for disposal.

REQUIRED EQUIPMENT Shovel the material into waste container.

**ADDITIONAL** No other spill procedures necessary. INFORMATION

### **RESPONSE TO LARGE SPILLS OF PRODUCT**

Eliminate all sources of ignition or flammables that may come into contact with a spill of this material. SPILL CONTAINMENT

Dike the spilled material, where this is possible. Stop source of leak if possible. Prevent liquid from

entering sewers. Keep out of drains and water courses.

Ventilate the contaminated area. Absorb spill with inert material. Shovel material into appropriate **SPILL CLEANUP** container for disposal. Thoroughly wash the area with water after a spill or leak clean-up. For very large **PROCEDURES** spills, activate company or local HAZMAT emergency response. Use of properly trained remediation company may be required to safely collect the spilled product.

REQUIRED EQUIPMENT Wear appropriate protective equipment and clothing during clean-up.

### **SECTION 7: HANDLING AND STORAGE**

#### HANDLING REQUIREMENTS

Use this product with adequate ventilation. Use a NIOSH-approved respirator if exposed to oil mist, and adequate ventilation is not available. Avoid getting this material into contact with your skin and eyes. Appropriate neutralizing solution should be immediately available whenever skin contact is possible (see SECTION 4: FIRST AID MEASURES). Keep away from sources of ignition.

Storage area should be protected by appropriately designed containment to prevent release to groundwater or sewers.

Eliminate all sources of ignition.

#### STORAGE REQUIREMENTS

Keep the container tightly closed and in a cool, well-ventilated place.

Do not mix storage with incompatible materials. Store containers away from acids and strong oxidizing

If product is stored in bulk, nitrogen padding is recommended.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**ENGINEERING CONTROLS** Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits.

#### PERSONAL PROTECTIVE EQUIPMENT

If handling procedure does not require respiratory protection, chemical splash goggles and full-face shield **EYE/FACE PROTECTION** 

are recommended when handling this product.

HAND PROTECTION Impervious gloves should be used at all times when handling this product.

Use of protective coveralls and long sleeves is recommended. Impervious gloves should be used at all SKIN PROTECTION

times when handling this product.

White solid - liquid in summer (over

RESPIRATORY A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must

**PROTECTION** be followed whenever there may be potential for airborne exposure.

OTHER Eyewash fountains and emergency showers are required.

## **EXPOSURE LIMITS**

CHEMICAL **CASRN** PERCENT LIMITS **AGENCY** 

ODOR

OSHA: No exposure limits established for this product ACGIH: No exposure limits established for this product

# **SECTION 9: PHYSICAL and CHEMICAL PROPERTIES**

APPEARANCE @ 20°C Amine odor 20°C) **ODOR THRESHOLD** No data available No data available **VAPOR DENSITY** No data available **VAPOR PRESSURE** 5.25 mmHg @ 112°C

**EVAPORATION RATE** No data available RELATIVE DENSITY 0.795g/mL @ 30°C MELTING POINT (°C) 23°C - 27°C WATER SOLUBILITY Insoluble in water

**INITIAL BOILING POINT** 259°C **BOILING RANGE (°C)** No data available

**PARTITION COEFFICIENT** No data available VISCOSITY No data available (N-OCTANOL/WATER)

DECOMPOSITION FLAMMABILITY No data available CLASS IIIB TEMPERATURE CLASSIFICATION

FLASH POINT (°C)

Cleveland Open Cup

123°C

**AUTO-IGNITION TEMPERATURE** 

No data available

**UPPER EXPLOSIVE LIMIT** 

No data available

LOWER EXPLOSIVE LIMIT

No data available

OTHER DATA

No data available

#### **SECTION 10: STABILITY and REACTIVITY**

**CHEMICAL STABILITY** Stable under normal conditions.

**CONDITIONS to AVOID** Use suitable technology and/or best work practices to prevent or minimize air emissions of this product.

INCOMPATIBLE MATERIALS (Reactivity)

This product reacts with acids.

INCOMPATIBLE

MATERIALS (Storage &

Transport)

Avoid contact with acids, acid anhydrides, oxidizing agents, copper and copper alloys.

**HAZARDOUS** 

DECOMPOSITION None known.

**PRODUCTS** 

**HAZARDOUS** Will not occur. POLYMERIZATION

# **SECTION 11: TOXICOLOGICAL INFORMATION**

**ACUTE EFFECTS** 

ORAL Product: Rat > 1020 mg/kg (acute toxicity estimate) (LD50)

COMMENT Not applicable

**DERMAL** 

Product: No data available for this product.

COMMENT Not applicable

INHALATION

(LD50)

(LC50)

Product: No data available for this product.

COMMENT Concentration of ingredients of unknown inhalation toxicity: 100 %

**OTHER TOXICOLOGICAL EFFECTS** 

**SERIOUS EYE** 

IRRITATION

**DAMAGE &** Ingredient: Category 1 (data on laurylamine)

SKIN CORROSION

Ingredient: No data available for this product.

& IRRITATION Category 1 (data on laurylamine

SKIN **SENSITIZATION** 

Product: No data available for this product.

RESPIRATORY

SENSITIZATION

Product: No data available for this product.

MUTAGENCITY

Ames Test (TA98, TA100) Negative

REPRODUCTIVE

TOXICITY -

Product: No data available for this product.

MATERNAL

REPRODUCTIVE TOXICITY -Product: No data available for this product.

FERTILITY

REPRODUCTIVE

TOXICITY -Product: No data available for this product.

DEVELOPMENAL

TERATOGENCITY Product: No data available for this product.

STOT - SINGLE

Product: No data available for this product. **EXPOSURE** 

STOT - REPEATED

**EXPOSURE** 

Product: No data available for this product.

**ASPIRATION** 

HAZARD

Product: No data available for this product.

ΔΩΩΙΤΙΩΝΔΙ INFORMATION Skin Corrosion/Irritation: Rabbit, 750 ug/24Hr: Severe (data on laurylamine) Serious Eye Damage/Irritation: Rabbit, 50 ug/24hr: Severe (data on laurylamine)

## **CARCINOGENICITY**

**CHEMICAL NAME** DATA AGENCY LIST

None of the components of this product are listed on the OSHA Possible or Select Carcinogens Lists.

None of the components of this product are listed on the ACGIH Carcinogens List.

No limits established for this product by the International Agency for Research on Cancer (IARC).

None of the components of this product are listed on the NTP Known or Suspected Carcinogens List.

MEDICAL CONDITIONS

AGGRAVATED by **EXPOSURE** 

No information available.

**ROUTES of ENTRY** 

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

#### **SECTION 12: ECOLOGICAL INFORMATION**

### **UN GHS AQUATIC TOXICITY CLASSIFICATION INFORMATION**

**AQUATIC TOXICITY** Acute 1 CLASSIFICATION Chronic 1

SIGNAL WORD Warning

**HAZARD PICTOGRAM** 



Very toxic to aquatic life HAZARD STATEMENT

Very toxic to aquatic life with long lasting effects

**PREVENTION** Avoid release to the environment.

RESPONSE Collect spillage.

Dispose of contents/container in accordance with local/regional/national/international regulation for DISPOSAL

hazardous wastes.

## ADDITIONAL ENVIRONMENTAL INFORMATION

**AQUATIC TOXICTY (fish)** No information available

**AQUATIC TOXICITY** 

No information available (crustacean)

AQUATIC TOXICITY (algae) No information available

**AQUATIC TOXICTY (other** 

data)

No information available

ECOTOXICITY None determined

**ENVIRONMENTAL FATE** No data available for this product.

BIOLOGICAL OXYGEN DEMAND (BOD5), g/g

No data available

CHEMICAL OXYGEN DEMAND (COD), g/g

No data available

PERSISTENCE & DEGRADABILITY

No information available.

BIOACCUMLATION No information available.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste Description Wastes must be tested using methods described in 40 CFR Part 261 to determine if it meets applicable

definitions of hazardous wastes.

GENERAL DISPOSAL CONSIDERATIONS

Clean up and dispose of waste in accordance with all federal, state, and local environmental regulations.

DISPOSAL of EMPTY CONTAINERS

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

RCRA COMPONENT CASRN DATA

No limits established for this product.

# **SECTION 14: TRANSPORT INFORMATION**

#### US DOT CLASSIFICATION (49 CFR §172.101)

UN	UN PROPER	TECHNICAL NAME	HAZARD	PACKING	SHIPPING PLACARD	
NUMBER	SHIPPING NAME	TECHNICAL IVAIVIE	CLASS GROUP		SHIPPING PLACARD	
UN3259	Amines, solid, corrosive, n.o.s.	containing 1- Dodecylamine	8	II	CORROSIVE	

This material is a MARINE POLLUTANT. The marine pollutant mark is not required when transported on inland waterways in sizes of ≤5 L or ≤5 kg or by road, rail, or inland air in non-bulk sizes. See 49 CFR 171.4 for more

information about these exemptions.

SPECIAL PROVISIONS (§172.102)

IB8, IP2, IP4, T3, TP33

PACKAGING, BULK (§173.\*\*\*)

240

PACKAGING, NON-BULK

(§173.\*\*\*)

212

PACKAGING,

1 - 1

EXCEPTIONS (§173.\*\*\*)

154

QUANTITY LIMITATION, PASSENGER AIR/RAIL

QUANTITY LIMITATION, CARGO AIR

50 kg

VESSEL STOWAGE,

GENERAL

Material may be stowed "on deck" or "under deck" on a cargo vessel or on a passenger vessel.

**VESSEL STOWAGE** 

SPECIAL

Stow "separated from" acids.

REPORTABLE QUANTITY

(RQ)

No reportable quantity for this product

EMERGENCY RESPONSE GUIDEBOOK (ERG) REFERENCE

154

# INTERNATIONAL BULK SHIPPING REQUIREMENTS (MARPOL 73/78)

SHIPPING NAME | No information available

SHIP TYPE | No information available

POLLUTION CATEGORY | No information available

#### OTHER REGULATORY CLASSIFICATION INFORMATION

	IATA	IMDG
PROPER SHIPPING NAME	Amines, solid, corrosive, n.o.s.	Amines, solid, corrosive, n.o.s.
TECHNICAL NAME	containing 1-Dodecylamine	containing 1-Dodecylamine
UN NUMBER	UN3259	UN3259
HAZARD CLASS	8	8
PACKING GROUP	l II	П

#### **SECTION 15: REGULATORY INFORMATION**

TOXIC SUBSTANCES CONTROL ACT (TSCA) This product is listed on the U.S. EPA TSCA Inventory.

TSCA 12b EXPORT NOTIFICATION (US) This product is not subject to TSCA 12B Export Notification requirements. ()

This material is not subject to a Significant New Use Rule under the US Toxic Substances

Control Act.

All substances present in this product have been designated as commercially ACTIVE on

the United States TSCA inventory {15 U.S.C. §2607(b)(4)}

All components are listed on the Domestic Substances List (DSL) or are exempt from the

requirements to notify.

This product does not contain any materials for which a Confidential Business

Information claim has been filed with Health Canada.

**REVIEW ACT (CA)** Filing Date: Not applicable

Reference Number: Not applicable

SIGNIFICANT NEW USE ACTIVITIES (CA)

The product contains no regulated components

NATIONAL INVENTORY of CHEMICAL

HAZARDOUS MATERIALS INFORMATION

SUBSTANCES (MX)

All components are listed on the National Inventory of Chemical Substances (INSQ) or

are exempt from the requirements to notify.

#### **INTERNATIONAL CHEMICAL INVENTORIES**

All of the components of this product are listed on the following inventories:

ENCS	Japan	Yes	Registry No. 2-133
REACH	Europe	No	
EINECS	Europe	Yes	Registry No. 204-690-6
ELINCS	Europe	No	
IECSC	China	Yes	
PICCS	Philippines	No	
ECL	Korea	Yes	Registry No. KE-12825
AICS	Australia	Yes	
TCSI	Taiwan	Yes	

# **APPLICABLE UNITED STATES FEDERAL and STATE REGULATIONS**

## EMERGENCY PLANNING and COMMUNITY RIGHT TO KNOW ACT (EPCRA) 40 CFR PART 355, APPENDIX A

EHS COMPONENTS	CASRN	PERCENT	TPQ POUNDS and RQ
The product contains no regulated			
components			
313 COMPONENTS	CASRN	PERCENT	REPORTING LIMIT
The product contains no regulated			
components			
CERCLA/SARA COMPONENTS	CASRN	PERCENT	REPORTING LIMIT
The product contains no regulated			
components			

EPCRA SECTION 311/312 CLASSIFICATION	ACUTE	Yes
	CHRONIC	No
	FIRE	No
	PRESSURE	No
	REACTIVE	No

## THE FOLLOWING COMPONENTS ARE IDENTIFIED UNDER THE US CLEAN AIR ACT HON-RULE FOR SOCMI CHEMICALS

COMPONENT NAME	CASRN
The product contains no regulated components	

#### THE FOLLOWING COMPONENTS ARE IDENTIFIED UNDER THE US CLEAN AIR ACT (VOCS IN SOCMI CHEMICALS)

COMPONENT NAME	CASRN
The product contains no regulated components	

THE FOLLOWING COMPONENTS ARE IDENTIFIED UNDER THE US CLEAN AIR ACT AS HAZARDOUS AIR POLLUTANTS

1	ш	Δ	D,	۱
l	п	м	Г,	,

COMPONENT NAME	CASRN
The product contains no regulated components	

# THE FOLLOWING COMPONENTS ARE IDENTIFIED UNDER THE US CLEAN AIR ACT HON-RULE HAZARDOUS AIR POLLUTANTS (HAP)

COMPONENT NAME	CASRN
The product contains no regulated components	

#### THE FOLLOWING COMPONENTS ARE IDENTIFIED UNDER THE US CLEAN WATER ACT

COMPONENT NAME	CASRN	LIST NAME
----------------	-------	-----------

No limits established for this product.

#### STATE RIGHT-TO-KNOW INFORMATION

		,	
COMPONENT NAME	CASRN	STATE	List Name

If the STATE RIGHT-TO-KNOW INFORMATION table above is empty than none of the components of this product are included on the state right-to-know regulatory lists for Florida, Massachusetts, Michigan, Pennsylvania, or New Jersey.

#### CALIFORNIA SAFE WATER and TOXIC ENFORCEMENT ACT of 1986 (Proposition 65)

COMPONENT NAME	CASRN	CONCENTRATION <sup>†</sup>	LIST DATA
----------------	-------	----------------------------	-----------

This product contains no components which are listed on California's Proposition 65 lists.

## **SECTION 16: OTHER INFORMATION**

To the best of the manufacturer's knowledge, the information contained herein is accurate. However, neither the manufacturer, nor any of its affiliates, make any representations or warranties (expressed or implied), nor assumes any liability (including liability for any direct, incidental, consequential, or other damages) with respect to the accuracy or completeness of the information contained herein. Such information may be (without limitation) invalid if the specified material is used in combination with another, in a particular process, or under unusual conditions. Determination of suitability of any material for any given purpose is the sole responsibility of the user who assumes all risk and responsibility therefore. All materials may present unknown hazards and should be used with appropriate caution. The manufacturer cannot and does not guarantee that the hazards described herein are the only ones that exist.

SDS GENERATED BY PSIMCOX

**SDS VERSION DATE** 11/3/2021 8:29:37 AM

Patrick B. Simcox

SDS APPROVED BY Manager – Health, Safety, & Environmental

e-mail: Patrick.Simcox@kao.com

MANUFACTURER(S) Kao Corporation

1-3, Bunka 2-chome, Sumida-ku Tokyo, Japan 131-8501 Phone: 011-81-3-5630-7700

## **NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD RATINGS**

HEALTH	3
FLAMMABILITY	1
REACTIVITY	0

# **Hazardous Material Identification System (HMIS) Hazard Ratings**

HEALTH	3
FLAMMABILITY	1
REACTIVITY	0
PERSONAL PROTECTION	F

## **END OF DOCUMENT**